

AMoDeus Simulation Report

Simulation Information

User: root

Timestamp: 2019/04/26 - 10:27:53

Iterations: 1 ,i.e., 0 in matsim config.

AV File AV_Config File

Dispatcher: AidoDispatcherHost

Rebalancing Period: -00:00:01
Redispatching Period: 00:00:10

Network: null_prepared

Virtual Nodes: no virtual network found

Population: 500

Number of Vehicles: 20 Number of Requests 500

Aggregated Results

Distance Ratio: 44.07%
Occupancy Ratio: 17.86 %

Distances

Total: 18601.18 km

Rebalancing: 580.81 km (3.12%)

Pickup: 9823.19 km (52.81%)

With Customer: 8197.19 km (44.07%)

Average Trip Distance: 16.39 km


Total Distance Distribution




Wait Times

10.0% quantile	00:04:59
50.0% quantile	00:12:03
95.0% quantile	00:47:45
Mean	00:16:01
Maximum:	01:18:59


Number of Requests per Wait Time



Binned Waiting Times




Waiting Customers per Day Time



Drive Times

10.0% quantile	00:03:30
50.0% quantile	00:09:00
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20


Number of Requests per Drive Time



Total Journey Times


10.0% quantile	00:11:36
50.0% quantile	00:22:03
95.0% quantile	01:21:21
Mean	00:28:52
Maximum:	01:59:06

Number of Requests per Total Journey Time




Fleet Efficiency











- occupancy ratio — distance ratio



Aido Scores


Scores during Simulation

Service Quality and Efficiency Score Increments




Service Quality and Efficiency Score Integrated

— service quality performance [1] — efficiency performance [1]



Fleet Size Score Integrated

- fleet size score integrated



Final Scores

final service quality score: -32.124694257463595

final efficiency score: -62.46769702985202

final fleet size score: -Infinity

www.amodeus.science www.idsc.ethz.ch