AMoDeus Simulation Report

Simulation Information

User: Timestamp:	root 2019/04/26 - 12:37:31
Thirdstump.	2013/04/20 12.57.51
Iterations:	1 ,i.e., 0 in matsim config.
AV File AV_Config File	
Dispatcher:	AidoDispatcherHost
Rebalancing Period:	-00:00:01
Redispatching Period:	00:00:10
Network:	null_prepared
Virtual Nodes:	no virtual network found
Population:	500
Number of Vehicles:	20
Number of Requests	500




Aggregated Results

Distance Ratio:	41.84%
Occupancy Ratio:	17.86 %
Distances	
Total:	19591.25 km
Rebalancing:	1390.86 km (7.10%)
Pickup:	10002.73 km (51.06%)
With Customer:	8197.66 km (41.84%)


Average Trip Distance:

16.40 km




Wait Times


10.0% quantile	00:04:47
50.0% quantile	00:12:05
95.0% quantile	00:47:46
Mean	00:16:06
Maximum:	01:15:28



Number of Requests per Wait Time




Binned Waiting Times



Drive Times


10.0% quantile	00:03:30
50.0% quantile	00:09:10
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20




Number of Requests per Drive Time

Total Journey Times


10.0% quantile	00:10:58
50.0% quantile	00:21:52
95.0% quantile	01:17:30
Mean	00:28:57
Maximum:	01:44:03




Fleet Efficiency




Distance Distribution over Day







Aido Scores

Scores during Simulation







Final Scores

final service quality score: final efficiency score: final fleet size score: -33.17580287841057 -66.48517151364277 -Infinity

www.amodeus.science www.idsc.ethz.ch