



# AMoDeus Simulation Report

## Simulation Information

User: root  
Timestamp: 2019/04/24 - 13:46:40  
  
Iterations: 1 ,i.e., 0 in matsim config.

[AV File](#)   [AV\\_Config File](#)

Dispatcher: AidoDispatcherHost  
Rebalancing Period: -00:00:01  
Redispatching Period: 00:00:10  
  
Network: null\_prepared  
Virtual Nodes: no virtual network found  
Population: 500  
  
Number of Vehicles: 20  
Number of Requests: 500


# Aggregated Results

Distance Ratio: 41.86%  
Occupancy Ratio: 17.87 %

## Distances

Total: 19590.46 km  
Rebalancing: 1374.95 km (7.02%)  
Pickup: 10015.30 km (51.12%)  
With Customer: 8200.21 km (41.86%)


Average Trip Distance: 16.40 km




## Wait Times

10.0% quantile 00:05:39  
50.0% quantile 00:11:46  
95.0% quantile 00:47:46  
Mean 00:16:06  
Maximum: 01:18:59


# Number of Requests per Wait Time



# Binned Waiting Times




## Waiting Customers per Day Time



### Drive Times

10.0% quantile	00:03:30
50.0% quantile	00:09:10
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20


## Number of Requests per Drive Time



### Total Journey Times


10.0% quantile	00:11:46
50.0% quantile	00:22:15
95.0% quantile	01:15:05
Mean	00:28:58
Maximum:	01:59:06

# Number of Requests per Total Journey Time




# Fleet Efficiency

## Distance Distribution over Day






# Occupancy and Distance Ratios



## Number Passengers




## Ride Sharing Distribution, fraction of Requests




## Aido Scores

Scores during Simulation


# Service Quality and Efficiency Score Increments



# Service Quality and Efficiency Score Integrated



# Fleet Size Score Integrated



## Final Scores

final service quality score: -33.17545856640668  
final efficiency score: -66.47467426562682  
final fleet size score: -Infinity