AMoDeus Simulation Report

Simulation Information

User: Timestamp:	root 2018/11/29 - 08:29:50
Iterations:	1 ,i.e., 0 in matsim config.
AV File <u>AV_Config File</u>	
Dispatcher:	AidoDispatcherHost
Rebalancing Period:	-00:00:01
Redispatching Period:	00:00:10
Network:	null_prepared
Virtual Nodes:	no virtual network found
Population:	500
Number of Vehicles:	500
Number of Requests	500



Aggregated Results

Distance Ratio:	7.12%
Occupancy Ratio:	0.71 %

Distances

Total:	115083.55 km
Rebalancing:	97017.29 km (84.30%)
Pickup:	9870.78 km (8.58%)
With Customer:	8195.48 km (7.12%)

Average Trip Distance:


16.39 km

Total Distance Distribution





Wait Times

10.0% quantile	00:05:03
50.0% quantile	00:11:13
95.0% quantile	00:47:50
Mean	00:15:35
Maximum:	01:18:59




Number of Requests per Wait Time






Drive Times

10.0% quantile	00:03:30
50.0% quantile	00:09:10
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20




Total Journey Times


10.0% quantile	00:11:07
50.0% quantile	00:21:46
95.0% quantile	01:12:05
Mean	00:28:26
Maximum:	01:59:06



Number of Requests per Total Journey Time

Fleet Efficiency






Occupancy and Distance Ratios





🔺 with customer 🔺 pickup 🔺 rebalance 🔺 stay 🔺 off service




Aido Scores

Scores during Simulation





Service Quality and Efficiency Score Integrated



Final Scores

final service quality score: final efficiency score: final fleet size score: -128.24793869610812 -447.95171478443314 -Infinity

www.idsc.ethz.ch