# **AMoDeus Simulation Report**

## **Simulation Information**

User: Timestamp:	root 2018/12/01 - 23:33:30			
Timestamp:	2010/12/01 - 23:33:30			
Iterations:	1 ,i.e., 0 in matsim config.			
AV File AV_Config File				
Dispatcher:	AidoDispatcherHost			
Rebalancing Period:	-00:00:01			
Redispatching Period:	00:00:10			
Network:	null_prepared			
Virtual Nodes:	no virtual network found			
Population:	500			
Number of Vehicles:	20			
Number of Requests	500			



## **Aggregated Results**

Distance Ratio:	65.07%
Occupancy Ratio:	17.86 %

#### Distances

Total:	12588.78 km
Rebalancing:	46.96 km (0.37%)
Pickup:	4350.03 km (34.55%)
With Customer:	8191.79 km (65.07%)

Average Trip Distance:


16.38 km

## **Total Distance Distribution**


📕 With Customer 🔲 Pickup 🔲 Rebalancing										
0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0

#### Wait Times


10.0% quantile	00:02:23
50.0% quantile	00:06:06
95.0% quantile	00:17:13
Mean	00:07:32
Maximum:	01:09:16



### Number of Requests per Wait Time




### **Binned Waiting Times**



#### **Drive Times**


10.0% quantile	00:03:40
50.0% quantile	00:09:10
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20



### Number of Requests per Drive Time


#### **Total Journey Times**

10.0% quantile	00:08:12
50.0% quantile	00:16:36
95.0% quantile	00:55:31
Mean	00:20:23
Maximum:	02:21:36




### Number of Requests per Total Journey Time


## **Fleet Efficiency**



### **Distance Distribution over Day**





## **Occupancy and Distance Ratios**




## **Aido Scores**

**Scores during Simulation** 







#### **Final Scores**

final service quality score: final efficiency score: final fleet size score: -19.745990266229462 -32.32300106491542 -Infinity

#### www.idsc.ethz.ch