

AMoDeus Simulation Report

Simulation Information

User: root

Timestamp: 2019/04/24 - 09:08:40

Iterations: 1 ,i.e., 0 in matsim config.

AV File AV_Config File

Dispatcher: AidoDispatcherHost

Rebalancing Period: -00:00:01
Redispatching Period: 00:00:10

Network: null_prepared

Virtual Nodes: no virtual network found

Population: 500

Number of Vehicles: 20

Number of Requests 500

Aggregated Results

Distance Ratio: 43.34%
Occupancy Ratio: 17.87 %

Distances

Total: 18918.27 km

Rebalancing: 740.52 km (3.91%)

Pickup: 9978.82 km (52.75%)

With Customer: 8198.93 km (43.34%)

Average Trip Distance: 16.40 km


Total Distance Distribution




Wait Times

10.0% quantile	00:05:11
50.0% quantile	00:12:12
95.0% quantile	00:47:56
Mean	00:16:26
Maximum:	01:18:59


Number of Requests per Wait Time



Binned Waiting Times




Waiting Customers per Day Time



Drive Times

10.0% quantile	00:03:30
50.0% quantile	00:09:10
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20


Number of Requests per Drive Time



Total Journey Times

10.0% quantile	00:11:46
50.0% quantile	00:22:13
95.0% quantile	01:19:47
Mean	00:29:18
Maximum:	01:59:06

Number of Requests per Total Journey Time




Fleet Efficiency

-1.5

-2.0

-2.5


00:00




with customer a pickup rebalance

20:00






- occupancy ratio — distance ratio



Aido Scores


Scores during Simulation

Service Quality and Efficiency Score Increments




Service Quality and Efficiency Score Integrated

— service quality performance [1] — efficiency performance [1]



Fleet Size Score Integrated

- fleet size score integrated



Final Scores

final service quality score: -32.754042946526994

final efficiency score: -64.0305317861065

final fleet size score: -Infinity

www.amodeus.science www.idsc.ethz.ch