



# AMoDeus Simulation Report

## Simulation Information

User: root  
Timestamp: 2018/12/03 - 00:42:43  
  
Iterations: 1 ,i.e., 0 in matsim config.

[AV File](#)   [AV\\_Config File](#)

Dispatcher: AidoDispatcherHost  
Rebalancing Period: -00:00:01  
Redispatching Period: 00:00:10  
  
Network: null\_prepared  
Virtual Nodes: no virtual network found  
Population: 500  
  
Number of Vehicles: 50  
Number of Requests: 500

# Aggregated Results


Distance Ratio: 76.21%  
Occupancy Ratio: 7.14 %

## Distances

Total: 10752.40 km  
Rebalancing: 12.82 km (0.12%)  
Pickup: 2544.78 km (23.67%)  
With Customer: 8194.81 km (76.21%)

Average Trip Distance: 16.39 km


## Total Distance Distribution



## Wait Times


10.0% quantile: 00:01:25  
50.0% quantile: 00:04:07  
95.0% quantile: 00:09:32  
Mean: 00:04:47  
Maximum: 00:55:57

# Number of Requests per Wait Time




# Binned Waiting Times

— 10.0% quantile — 50.0% quantile — 95.0% quantile — Mean




# Waiting Customers per Day Time



## Drive Times

10.0% quantile	00:03:30
50.0% quantile	00:09:10
95.0% quantile	00:45:40
Mean	00:12:50
Maximum:	01:12:20


## Number of Requests per Drive Time



### Total Journey Times


10.0% quantile	00:06:54
50.0% quantile	00:13:46
95.0% quantile	00:51:43
Mean	00:17:38
Maximum:	01:31:20

# Number of Requests per Total Journey Time




# Fleet Efficiency

## Distance Distribution over Day






# Occupancy and Distance Ratios




## Status Distribution




## Aido Scores

Scores during Simulation


# Service Quality and Efficiency Score Increments



# Service Quality and Efficiency Score Integrated



## Fleet Size Score Integrated



### Final Scores

final service quality score: -15.843456482768962  
final efficiency score: -22.97830593107618  
final fleet size score: -Infinity

[www.idsc.ethz.ch](http://www.idsc.ethz.ch)