AMoDeus Simulation Report

Simulation Information

User:	root
Timestamp:	2019/04/27 - 17:41:55
Iterations:	1 ,i.e., 0 in matsim config.
AV File AV_Config File	
Dispatcher:	AidoDispatcherHost
Rebalancing Period:	-00:00:01
Redispatching Period:	00:00:10
Network:	null_prepared
Virtual Nodes:	no virtual network found
Population:	500
Number of Vehicles:	20
Number of Requests	500




Aggregated Results

Distance Ratio:	43.71%
Occupancy Ratio:	17.87 %
Distances	
Total:	18749.30 km
Rebalancing:	629.84 km (3.36%)
Pickup:	9923.48 km (52.93%)
With Customer:	8195.97 km (43.71%)


Average Trip Distance:


16.39 km




Wait Times

10.0% quantile	00:05:09
50.0% quantile	00:12:05
95.0% quantile	00:48:06
Mean	00:16:17
Maximum:	01:16:58









Drive Times

10.0% quantile	00:03:30
50.0% quantile	00:09:10
95.0% quantile	00:45:30
Mean	00:12:51
Maximum:	01:12:20




Total Journey Times


10.0% quantile	00:11:33
50.0% quantile	00:21:53
95.0% quantile	01:19:47
Mean	00:29:09
Maximum:	01:59:06




Fleet Efficiency




Distance Distribution over Day






Aido Scores

Scores during Simulation







Final Scores

final service quality score: final efficiency score:

final fleet size score:

-32.47582240904694 -63.258889636184925 -Infinity

www.amodeus.science www.idsc.ethz.ch